



GLOVE & SLEEVES



LV HV Testing Services Available

- Pure Latex Gloves manufactured under
ISO 9001
ISO 14001



- Certified to EN/IEC 60903 also available in ASTM D120
- Ergonomically shaped excellent strength & durability
- Supreme feel & flexibility
- Outer Protector Gloves custom designed to perfectly complement the Marigold Rubber Insulating Glove

- Manufactured without the use of solvents & hazardous chemicals utilising a proprietary aqueous dipping process



- Acid resistant
- Ozone resistant
- Low temperature resistant

- Comprehensive range of classes, colours, lengths and sizes, including half sizes

- Various cuff styles available including straight, contour and bell
- Arc flash certified





LV HV Testing Services Available

GLOVES & SLEEVES

Use the Chart below to determine the appropriate level of protection for your application

Labeling Chart Marigold® Natural Rubber Electrical Protection Equipment			
Class Colour	Proof Test Voltage AC/DC	Max. Use Voltage AC/DC	Insulating Rubber Glove Label
00 Beige	2,500 / 10,000	500 / 750	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 00
0 Red	5,000 / 20,000	1,000 / 1,500	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 0
1 White	10,000 / 40,000	7,500 / 11,250	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 1
2 Yellow	20,000 / 50,000	17,000 / 25,500	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 2
3 Green	30,000 / 60,000	26,500 / 39,750	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 3
4 Orange	40,000 / 70,000	36,000 / 54,000	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 4

Outer Protector Gloves should always be worn over Rubber Insulating Gloves to prevent mechanical damage to the rubber gloves. The Outer Protector must be properly sized and shaped to avoid the deformation or damage of the Rubber Insulating Glove. The minimum distance between the cuff of the Rubber Insulating Glove and the cuff of the Outer Protector Glove is listed in the table below "Clearance for Outer Protectors".

Clearance Table for Outer Protectors


Glove Class	Min. Distance Between Outer Protectors & Rubber Insulating Gloves	
	inches	mm
00, 0	½	13
1	1	25
2	2	51
3	3	76
4	4	102





LV HV Testing Services Available

GLOVES & SLEEVES



Glove Length

280 mm (11 inch)
360 mm (14 inch)
400 mm (16 inch)
460 mm (18 inch)

Glove Size Nominal Hand Circumference

7	7 inches	
8	8 inches	203 mm
8½	8½ inches	216 mm
9	9 inches	229 mm
9½	9½ inches	241 mm
10	10 inches	254 mm
10½	10½ inches	267 mm
11	11 inches	279 mm

Tolerance = +/- 13 mm

* Allow an extra half inch if cotton inners are to be used

Rubber Insulating Glove Item Number Legend



Example :: RIG-4-18-YB-C-10H

A B C D E F

A - Glove type: RIG (Rubber Insulating Glove)

B - Class: 00/0/1/2/3/4

C - Length: 11/14/16/18 (inches)

D - Colour: R/Y/YB/BY (Red, Yellow, Yellow under Black, Black under Yellow}

E - Cuff: S/C/B (Straight/Contour/Bell)

F - Size: 7/8/8H/9/9H/10/10H/11 (H = ½ sizes)



How to measure

Measure around your hand above the V of the thumb. This gives you the circumference in inches.



LV HV Testing Services Available

GLOVES & SLEEVES

Rubber Insulating Sleeve Item Number Legend

Example :: RIS-4-RY-EC-Regular

A B C D E



A - **Sleeve type:** RIS (Rubber Insulating Sleeve)

B - **Class:** 2/3/4

C - **Colour:** RY (Red under Yellow)


D - **Arm:** EC/S (Extra Curve/Straight)

E - **Size:** S/R/L/EL (Small/Regular/Large/Extra Large)



Extra Curved Arm Sleeve

A in. (mm)	B in. (mm)	C in. (mm)	D in. (mm)
Small 24.25 (616)	15.13 (384)	12.5 (317)	5.75 (146)
Regular 26.5 (673)	15.5 (394)	12.25 (311)	5.25 (140)
Large 27.75 (705)	16 (406)	12.87 (328)	6.87 (175)
Extra Large 29.5 (749)	17.5 (445)	12.87 (327)	7 (178)





(Dual Layer)



AVAILABLE
ON REQUEST

GLOVES & SLEEVES

LV HV Testing Services Available

Recommended Products

Class 2 - Dielectric Boots

- RIB2Y6 | Size 6*
- RIB2Y7 | Size 7*
- RIB2Y8 | Size 8*
- RIB2Y9 | Size 9*
- RIB2Y10 | Size 10*
- RIB2Y11 | Size 11*
- RIB2Y12 | Size 12*
- RIB2Y13 | Size 13*
- RIB2Y14 | Size 14*



Class 00 - 500V Straight Cuff 11 inch

- RIG0011RS7 | Size 7
- RIG0011RS8 | Size 8
- RIG0011RS8H | Size 8½
- RIG0011RS9 | Size 9
- RIG0011RS9H | Size 9½
- RIG0011RS10 | Size 10
- RIG0011RS10H | Size 10½
- RIG0011RS11 | Size 11



Class 00 - 500V Straight Cuff 14 inch

- RIG0014YS8 | Size 8*
- RIG0014YS9 | Size 9*
- RIG0014YS10 | Size 10*
- RIG0014Y11 | Size 11*



Class 0 - 1000V Straight Cuff 14 inch

- RIG014YS7 | Size 7
- RIG014YS8 | Size 8
- RIG014YS8H | Size 8½
- RIG014YS9 | Size 9
- RIG014YS9H | Size 9½
- RIG014YS10 | Size 10
- RIG014YS10H | Size 10½
- RIG014YS11 | Size 11



Class 0 - 1000V Straight Cuff 11 inch

- RIG011YS8 | Size 8*
- RIG011YS9 | Size 9*
- RIG011YS10 | Size 10*
- RIG011YS11 | Size 11*



*Special Order

Class I - 7.5KV Straight Cuff 14 inch

- RIG114YBS8 | Size 8
- RIG114YBS8H | Size 8½
- RIG114YBS9 | Size 9
- RIG114YBS9H | Size 9½
- RIG114YBS10 | Size 10
- RIG114YBS10H | Size 10½
- RIG114YBS11 | Size 11





LV HV Testing Services Available

GLOVES & SLEEVES



Class 2 - 17KV Bell Cuff 16 inch

RIG216YBB8	Size 8*
RIG216YBB8H	Size 8½*
RIG216YBB9	Size 9*
RIG216YBB9H	Size 9½*
RIG216YBB10	Size 10*
RIG216YBB10H	Size 10½*
RIG216YBB11	Size 11*



Class 2 - 17KV Straight Cuff 16 inch

RIG216YBS8	Size 8
RIG216YBS8H	Size 8½
RIG216YBS9	Size 9
RIG216YBS9H	Size 9½
RIG216YBS10	Size 10
RIG216YBS10H	Size 10½
RIG216YBS11	Size 11



Class 2 - 17KV Contour Cuff 18 inch

RIG218YBC8	Size 8*
RIG218YBC8H	Size 8½*
RIG218YBC9	Size 9*
RIG218YBC9H	Size 9½*
RIG218YBC10	Size 10*
RIG218YBC10H	Size 10½*
RIG218YBC11	Size 11*



Class 3 - 26.5KV Bell Cuff 16 inch

RIG316YBB8	Size 8*
RIG316YBB8H	Size 8½*
RIG316YBB9	Size 9
RIG316YBB9H	Size 9½
RIG316YBB10	Size 10
RIG316YBB10H	Size 10½
RIG316YBB11	Size 11*



Class 3 - 26.5KV Straight Cuff 16 inch

RIG316YBS8	Size 8
RIG316YBS8H	Size 8½
RIG316YBS9	Size 9
RIG316YBS9H	Size 9½
RIG316YBS10	Size 10
RIG316YBS10H	Size 10½
RIG316YBS11	Size 11



Class 3 - 26.5KV Contour Cuff 18 inch

RIG318YBC8	Size 8*
RIG318YBC8H	Size 8½*
RIG318YBC9	Size 9
RIG318YBC9H	Size 9½
RIG318YBC10	Size 10
RIG318YBC10H	Size 10½
RIG318YBC11	Size 11*

*Special Order



LV HV Testing Services Available

GLOVES & SLEEVES



Class 4 - 36KV Bell Cuff 18 inch

RIG418YBB9	Size 9
RIG418YBB9H	Size 9½
RIG418YBB10	Size 10
RIG418YBB10H	Size 10½
RIG418YBB11	Size 11*



Class 4 - 36KV Straight Cuff 18 inch

RIG418YBS9	Size 9
RIG418YBS9H	Size 9½
RIG418YBS10	Size 10
RIG418YBS10H	Size 10½
RIG418YBS11	Size 11



Class 4 - 36KV Contour Cuff 18 inch

RIG418YBC9	Size 9
RIG418YBC9H	Size 9½
RIG418YBC10	Size 10
RIG418YBC10H	Size 10½
RIG418YBC11	Size 11*



Class 2 - 17KV Extra Curved

RIS2RYECS
RIS2RYECL
RIS2RYECL



Class 3 - 26.5KV Extra Curved

RIS3RYECS
RIS3RYECL
RIS3RYECL




Class 4 - 36KV Extra Curved

RIS4RYECS
RIS4RYECL
RIS4RYECL



Also available in selected sizes



LV HV Testing Services Available

GLOVES & SLEEVES

Arc Flash Safety Design



Velcro tab to secure strap

LV Outer Protector 10 inch - Goatskin Velcro Cotton Strap Kevlar Thread

OUTLVGS7 | Size 7
OUTLVGS8 | Size 8-8½
OUTLVGS9 | Size 9-9½
OUTLVGS10 | Size 10-10½
OUTLVGS11 | Size 11

Note: Choose same size as Marigold Class 00 and 0 gloves or best fit for comfort



HV Outer Protector 12 inch - Goatskin

OUTHVGS8
OUTHVGS9
OUTHVGS10
OUTHVGS11

Note: Choose same size as Marigold Class 1, 2, 3 & 4 gloves or best fit for comfort



Powerflex, Neo Coat LVL4 Flame, LVL5 Cut EN

PFLEX-8 | Size 8
PFLEX-9 | Size 9
PFLEX-10 | Size 10
PFLEX-11 | Size 11

Note: Choose one size up if using over Marigold Class 00 and 0 Gloves or best fit for comfort

Inner Liners One Size Fits All

COT1 | Cotton - Interlock | 10"
COT2 | PolyCotton - Knitted | 10"
COT3 | Cotton - Interlock | 14"




Glove Talc

GLO-TALC | 100g



Glove Air Test Tool

GLO-ROL1 | 360 x 40 | HV
GLO-ROL2 | 300 x 25 | LV



Sleeve Accessories

B2 | Sleeve Buttons (1pc)
B22 | Sleeve Buttons (2pc - 4 pack)
H1 | Harness C/W 4 B2 Buttons
S1 | Straps (2) C/W 4 B2 Buttons

H1



B2



B22

S1





GLOVES & SLEEVES

LV HV Testing Services Available

Recommended Products

LV Glove Bag
2 Pocket Treated Canvas
Velcro Close - Webbing Loops

26012 | 390x210x45

Solid Walls



Hard Base Breathable

LV Glove Bag
1 Pocket Loomstate Canvas
Velcro Close - Webbing Loop

26023 | 400x220x75



LV Glove Bag
2 Pocket Loomstate Canvas
Velcro Close - Webbing Loop

26016 | 400x220x75



Slimline front pocket suitable for leather storage

LV Glove Bag
3 Pocket Loomstate Canvas
Velcro Close - Webbing Loop

26017 | 400x220x150



Slimline front pocket suitable for leather storage

LV Glove Bag
3 Pocket Treated Canvas
Velcro Close - Plastic Snap Hook

26025 | 380x220x80



Slimline front pocket suitable for leather storage

Quick Dry Mesh

HV Glove Bag
2 Pocket Loomstate Canvas
Velcro Close - Metal Snap Hook

26042 | 500x220x150



HV Glove & Sleeve Bag
3 Pocket Loomstate Canvas
Velcro Close - Metal Snap Hook

26035 | 700x200x250



Slimline front pocket suitable for leather storage