

POLE MARKERS & CAPS



Recommended Products

Pole Markers

- Designed to last 15 years +
- Excellent UV resistance
- Increases visibility of poles for both day and night conditions
- Textured surface to reduce adhesion of unwanted signs and labels
- Easy to install, Tek Screws or Band-It Strapping can be used.

Item No.	Size	Base Material	Base Colour	Reflector Quantity	Reflector Colour
PM6060GW	600x600mm	Polyethylene	Grey	6	White
PM6060GY	600x600mm	Polyethylene	Grey	6	Yellow
PM7060BY	700x600mm	Polyethylene	Black	8	Yellow
PM6030GW	600x300mm	Polyethylene	Grey	6	White
PM5030BY	500x300mm	Polyethylene	Black	6	Yellow





*Special Order Only



*Special Order Only



POLE MARKERS & CAPS







Pole Caps

- Designed to last 30 years +
- Excellent UV resistance
- Natural insulating properties
- Flexible/pliable material can bend and stretch to uneven pole sizes and shapes
- A range of sizes and shapes available
- Easy to install, Tek screws can be used

Г					
	Item No.	Size	Base Material	Base Colour	Comments
	PC130B	130x45mm	LDPE	Black	
	PC150G	150x45mm	LDPE	Grey	
	PC200B	200x100mm	LDPE	Black	
	PC200G	200x100mm	LDPE	Grey	Comes with Bird Diverter
	PC216Y	216x170mm	LDPE	Yellow	Comes with Velcro strap and is rated electrically

Custom sizes available subject to MOQ







WARNING MARKERS



Marine grade components



Reduced line loading by design




Thermally tested



• UV Resistant



 Soft jaw protects cable and prevents creeping.
Fits all lines from 2-50mm diameter






 Dielectric strength tested



Snow and ice tested





Wind tunnel tested



 Aerodynamic 3D design, rotates for high impact visibility from all angles of approach



ROTAMARKA






Recommended Products

WARNING MARKERS

Choose Eye Ring or Bayonet



ROTAMARKA™ Drive Tool

WMDT | ~42 x 22mm SS (works with Eye or Bayonet)



Can be installed from Bucket Truck with Shotgun Stick (Eye version)




ROTAMARKA Install/uninstall tool - universal - Eye

LLCR-E | ~300 x 55

Can be installed from ground with Telescopic Stick and LLCR-E Tool (Eye version)





SCREWDRIVER

(Eye)

(Bayonet) (WMDT)

DRIVER

*4Nm recommended tightening torque

(Eye)

(LLCR-E)

TELESCOPIC

STICK

**Image representative only



SHOTGUN

STICK









Recommended Products

WARNING MARKERS

Warning Marker - Part Number Legend

Example :: WM-CS-B-1A-RW

A B C D E


- A Product type: WM (Warning Marker)
- B Line attachment: CS (Clam Shell)
- C Hot Stick Attachment: B/E (Bayonet or Eye Ring)
- D Style of warning device: 1A/1B/1C/1D/1E (Bushing/Flag/Bearing/Unit Jt/Mini)
- E Colour: RW/O/BY/BW (Red/White, Orange, Black/Yellow, Black/White)

Universal Joint | Eye Ring | Bearing | Mini Size

WM-CS-E-1E-RW

WM-CS-E-1E-BW

WM-CS-E-1E-BY













Recommended Products

WARNING MARKERS

Universal Joint | Eye Ring | Bearing | Standard Size

WM-CS-E-1D-RW

WM-CS-E-1D-BW

WM-CS-E-1D-BY



Ideal for installation on guy or stay wires

See also Guy Guards Refer Section 2 - Page 5 andress E Vinyl Flag

WM-CS-B-1B-O | Bayonet

WM-CS-E-1B-O | Eye-Ring



See also Pole Markers Refer Section 7 - Page 1



WILDLIFE PROTECTION

 Designed to cover over Crossarm mounted Insulators to help protect Birds and Critters from bridging between phases.

- Each unit should be installed on each Insulator/Phase on the Crossarm.
- Electrical faults induced by Birds and Critters can be deadly to the animals and potentially cause expensive outages.
- Two types, offset and centre depending on Insulator configuration.
- Excellent weathering resistance, time tested product.
- Easily snap clips together to form a sturdy installation

WPC-01

Wildlife Protection Cover, 450x133, Black, Offset




WPC-C1

Wildlife Protection Cover, 450x130, Black, Centre



Electrically Tested to 25KV Wildlife protection



Can be used with Panther Tails to extend barrier



WILDLIFE PROTECTION

Bird Blocker

 Designed to be installed on Power Lines anywhere along the span or near the cross arm to prevent birds from landing or settling on the lines.

Suits most cable sizes.

• Will keep vertical orientation and face upwards.

UV stabilised with good electrical insulation properties.

• Rubber stoppers used on either side of the Bird Blocker to fix in place on the line.

Can install multiple Bird Blockers "in series" along the line.
Where this is done, use rubber stoppers for every 10 Bird Blockers installed.

Item No.	Size	Base Material	Base Colour	Suits Cable Size
BB-BL	500x153mm	HDPE	Black	5mmØ-240mm ²
RS-BL	35x26mm	EPDM	Black	5mmØ-240mm ²

Parameter	Results (BB-B)		
Withstand voltage	15KV for 1 minute		
Heat resistance	No cracking or other damage at 60 degrees C		
Cold resistance	No cracking or other damage at 20 degrees C		
Crushing test	30N for 1 minute		

