



All Round
Supplies


All Round Supplies

Power-Installed Screw Anchors

Drive strings:

Typical screw anchor drive strings.

Please contact us for more information regarding square-section (SS) screw anchors.



About us


We are All Round Supplies, your one-stop shop for electrical infrastructure products.

With branches in Melbourne, Sydney and Perth, we can proudly supply all of the items you need for your next job, exactly when you need them.

One of the areas we specialise in are screw anchors and drive string components. This brochure shows all of the items for the most typical orders that we supply, but there are many more items we can order in if required.



Typical Stay Arrangement



Screw anchors:



Tough One Anchor

Single helix, internal drive
 $2\frac{1}{4}$ " (57mm) hub, M24 tap

Size	Chance Code	ARS Code
200mm (8")	T102-5214	09627
250mm (10")	T102-5215	09367
300mm (12")	T102-5216	09368
350mm (14")	T102-5217	09369



Mid-Strength PISA Anchor

Single helix, external drive
 $1\frac{3}{8}$ " (35mm) hub, M24 tap

Size	Chance Code	ARS Code
200mm (8")	T102-1945	04620
250mm (10")	T102-1946	09628
300mm (12")	T102-1947	09370



Mid-Strength PISA Anchor

Single helix, external drive
 $1\frac{3}{8}$ " (35mm) hub, M24 tap

Size	Chance Code	ARS Code
100mm (4")	T102-2039	09629
250mm (10")	T102-1948	09371


Components:



Thimble Eye Nut

Single eye = 1 wire
Twineye = 2 wire


Wire	Chance	ARS
1	6512MB	09630
2	6562MB	09419



Stay Rod Coupler

Size M24

Chance Code	ARS Code
12247M	09377



Stay Rod

M24 x 2133mm
Galvanised steel

Chance Code	ARS Code
12334MC	09376



Machine Drive Shaft Adaptor

Provides a connection point to the borer drive shaft. 75 x 75.

Chance Code	ARS Code
C303-0075	09372



Locking Dog Assembly

Provides a connection point for the drive end wench.

Chance Code	ARS Code
C303-0069HD	09373



Optional torque indicator

Displays applied torque during installation of the screw anchor.

Please contact your account manager for more information.

Drive end wrench (also known as a Kelly Bar)

A square tube that drives the screw anchor. Our wrench is 55mm outside and 37mm inside, making it suitable for both anchor types.

Chance Code	ARS Code
C102-1583	09374



All Round Supplies

4/433 Hammond Road
Dandenong South, VIC

P 1300 087 579

E sales@ars.com.au

W ars.com.au



**All Round
Supplies®**